
DINI ARGEO

A RICE LAKE WEIGHING SYSTEMS COMPANY

WEPWL-LITE

WEICOMP Lite Pallet-Weighing Scale



WEICOMP

Fast, accurate, easy to use, transport and position pallet scale, according to one's weighing needs.

- Solution for weighing pallets wherever needed. Easy to use with manual pallet jacks. Available also in approved version for legal-for-trade use. Built with 4 Dini Argeo load cells, in nickel-plated steel, approved, with IP67 protection rating.

Working in cooperation with:


HALTEN OÜ
RÕÕMU 10 - 10921 TALLIN ESTONIA
Tel. 00372 6 555 441

The best solution for advanced industrial applications

TECHNICAL FEATURES - PALLET WEIGHER

- Tubular structure of pallet-weighing scales oven-fire painted, complete with adjustable feet.
- Level bubble, wheels, and transport handle.
- Connection cable to the indicator, 3 meters long.
- Operating temperature: -10° / +40° C.
- Digital calibration and set-up from keyboard or from PC with DINITOOLS.

CONNECTOR PINOUT



Pin	Signal	Color
1	EXC+	Red
2	EXC-	Black
3	SENSE-	Blue
4	SENSE+	Yellow
5	SIG-	White
6	SIG+	Green
7	SHIELD	Yellow

-

MAIN FUNCTIONS

- Conversion of weight into lb, or with freely programmable conversion factor.
- Totalization.
- Formulation.
- Automatic tare.

TECHNICAL FEATURES - WEIGHT INDICATOR

- ABS casing, easy to clean and resistant.
- Backlit 25mm LCD display with 6 digits, high contrast and icons for active function indication.
- Functional waterproof 5-key keyboard.
- Adjustable tilt support bracket for bench and wall mounting.
- Suitable for use on a bench, column, or wall.
- 24-bit A/D converter, 4 channels, max. 200 conv./sec. and up to 8 signal linearization points.
- RS232 (RJ11 port) for thermal printer, repeater, or PC communication.
- Load cell connection to the weight indicator via connector.
- Internal power supply 110 / 240 VAC, with EU or UK plugs.
- Integrated rechargeable NiMH battery, with approx. 40 hours of autonomy.

DETAIL 1



Optional column.

VERSIONS

Available versions

Code	l x w x h (mm)	Max (kg)	d (kg)	M (kg)	M 2R (kg)
WEPWL	1260 x 800 x 85	600 / 1500 / 2000	0,2 / 0,5 / 1		--
WEPWLM M	1260 x 800 x 85	1000 / 2000	--	0,5 / 1	0,5 / 1

www.diniargeo.com



DINI ARGEO FRANCE sarl	DINI ARGEO GMBH	DINI ARGEO UK Ltd	DINI ARGEO WEIGHING INSTRUMENTS Ltd	DINI ARGEO OCEANIA
France	Germany	United Kingdom	China	Australia

DINI ARGEO
A RICE LAKE WEIGHING SYSTEMS COMPANY

COMPANY HEADQUARTERS
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

HALTEN OÜ
RÕÕMU 10 - 10921 TALLIN ESTONIA
Tel. 00372 6 555 441
ivo@halten.ee
www.halten.ee

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.